



LIBROPLANTA IETP Viewer

Administrator Guide

LPIETP-LIBRO-AG001-00

Issue No. 001, 2014-08-01



Copyright © 2014 LIBROPLANTA LLC
S1000D® is a registered trademark of ASD

Publisher:



LIBROPLANTA LLC



Applicable to:
All

End of data module
UNCLASSIFIED

LPIETP-A-00-00-00-00A-001A-A

2014-08-01 Page 1



LIBROPLANTA IETP Viewer

Administration

Table of contents

| | Page |
|---------------------------|------|
| Administration..... | 1 |
| References..... | 1 |
| 1 Authorization..... | 1 |
| 2 Database creation..... | 2 |
| 3 Project creation..... | 5 |
| 4 Datasets excluding..... | 11 |

List of tables

| | | |
|---|-----------------|---|
| 1 | References..... | 1 |
|---|-----------------|---|

List of figures

| | | |
|----|-----------------------------|----|
| 1 | Storage..... | 2 |
| 2 | New database..... | 2 |
| 3 | Launching database..... | 3 |
| 4 | Connecting to database..... | 3 |
| 5 | Deliveries..... | 4 |
| 6 | New delivery..... | 5 |
| 7 | Companies..... | 6 |
| 8 | New company..... | 6 |
| 9 | Connections..... | 6 |
| 10 | New connection..... | 7 |
| 11 | Machine Key..... | 7 |
| 12 | Products..... | 8 |
| 13 | New product..... | 8 |
| 14 | Users..... | 9 |
| 15 | Users assigning..... | 10 |
| 16 | Datasets excluding..... | 11 |

References

Table 1 References

| Data module / Technical publication | Title |
|-------------------------------------|-------|
| None | |

1 Authorization

- 1 Enter web address <http://localhost:8080/admin> (for example).



- 2 Login as admin in Orchard CMS S1000D Edition.

2 Database creation

- 1 Select *Storage* in the left panel (Fig 1).

The screenshot shows the 'Hosted DataBases' section of the Vizualsite interface. On the left, a navigation menu is visible with 'Storage' highlighted in red. The main content area displays a table with the following data:

| Name | Client Port | Event Port | Status | Actions |
|------|-------------|------------|--------|-------------------------|
| BIKE | 9000 | 9001 | Up | Connect Down Delete |

Below the table is a green 'Create' button. The top right corner of the interface shows 'User: admin | Logout'.

ICN-LPIETP-A-000000-A-LIBRO-00071-E-001-01

Fig 1 Storage

- 2 Click *Create*.
- 3 Fill in required fields for database creation(Fig 2).

The screenshot shows the 'New DataBase' form. The form contains the following fields and values:

- Name: MYDB
- Client Port: 7000
- Event Port: 7001

A green 'Submit' button is located at the bottom of the form.

ICN-LPIETP-A-000000-A-LIBRO-00072-E-001-01

Fig 2 New database

- 4 Launch database (Fig 3).



Hosted DataBases

| Name | Client Port | Event Port | Status | Actions |
|------|-------------|------------|--------|---|
| MYDB | 7000 | 7001 | Down | Up Delete |
| BIKE | 9000 | 9001 | Up | Connect Down Delete |

[Create](#)

ICN-LPIETP-A-000000-A-LIBRO-00073-E-001-01

Fig 3 Launching database

5 Connect to database (Fig 4).

Hosted DataBases

| Name | Client Port | Event Port | Status | Actions |
|------|-------------|------------|--------|---|
| MYDB | 7000 | 7001 | Up | Connect Down Delete |
| BIKE | 9000 | 9001 | Up | Connect Down Delete |

[Create](#)

ICN-LPIETP-A-000000-A-LIBRO-00074-E-001-01

Fig 4.1 Connecting to database (Sheet 01 of 02)



Connect to MYDB

User name
admin

Password
●●●●●

Connect

ICN-LPIETP-A-000000-A-LIBRO-00075-E-001-01

Fig 4.2 Connecting to database (Sheet 02 of 02)

- 6 Enter database administrator login and password (Fig 4).
- 7 Select *Deliveries* and click *Create*.

DataBase MYDB User: admin | Logout

Settings Users **Deliveries**

| Name | Actions |
|------|---------|
|------|---------|

Create

ICN-LPIETP-A-000000-A-LIBRO-00076-E-001-01

Fig 5 Deliveries

- 8 Enter dataset name, select ZIP file with S1000D data and click *Submit*.



New Delivery Set

Settings Users Deliveries

Name
DATASET1

File
C:\BIKE\4.1\BIKE_DATA_SET1.zip Обзор...

Submit

ICN-LPIETP-A-000000-A-LIBRO-00077-E-001-01

Fig 6.1 New delivery (Sheet 01 of 02)

DataBase MYDB User: admin | Logout

Settings Users Deliveries

| Name | Actions |
|----------|----------------|
| DATASET1 | Delete Files |

Create

ICN-LPIETP-A-000000-A-LIBRO-00078-E-001-01

Fig 6.2 New delivery (Sheet 02 of 02)

3 Project creation

- 1 Register your company ([Fig 7](#))



Enterprises User: admin | Logout

Products | **Connections** | **Enterprises** | Machine Key

| CAGE | Title | Email | Actions |
|------|-------|-------|---------|
| Add | | | |

ICN-LPIETP-A-000000-A-LIBRO-00079-E-001-01

Fig 7 Companies

1.a Fill in required fields (Fig 8)

New Enterprise

CAGE

Title

Email

Submit

ICN-LPIETP-A-000000-A-LIBRO-00080-E-001-01

Fig 8 New company

2 Create connection to XMLDB (Fig 9)

Connections User: admin | Logout

Products | **Connections** | Enterprises | Machine Key

| Name | DB Url | DB Port | HTTP Port | DB User | Actions |
|------|--------|---------|-----------|---------|---------|
| Add | | | | | |

ICN-LPIETP-A-000000-A-LIBRO-00081-E-001-01

Fig 9 Connections

2.a Fill in required fields (Fig 10)

Note 1

Check correctness of form filling in.



Click *Check connection* and make sure that connection status is *OK* (Fig 10).

New Connection User: admin | Logout

Name
MYCONNECTION

DB Url
localhost

DB Port
7000

HTTP Port
8080

DB User Name
admin

DB Password
••••

Submit Check Connection
Status: OK

ICN-LPIETP-A-000000-A-LIBRO-00082-E-001-01

Fig 10 New connection

3 Creating a project

- 3.a Select *Machine Key* tab and send your machine key and model identification code to LIBROPLANTA for receiving License Key (Fig 11).

Machine Key

Products Connections Enterprises **Machine Key**

Machine Key: 95736

ICN-LPIETP-A-000000-A-LIBRO-00083-E-001-01

Fig 11 Machine Key

- 3.b Select *Products* tab and click *Add* (Fig 12).



Products User: admin | Logout

Products | Connections | Enterprises | Machine Key

| Title | Main Modelic | Connection | Originator | License Key | Actions |
|---------------|--------------|--------------|------------|-------------------------|-------------------------------|
| Project title | S1000DBIKE | MYCONNECTION | My Company | MRZOV-AHIUA-ZNUVK-FTLYT | Edit Delete Users Parts |

ICN-LPIETP-A-000000-A-LIBRO-00085-E-001-01

Fig 12 Products

3.c Fill in required fields and click *Submit*.

Note 2

Profile can be preliminary exported from LIBROPLANTA Publisher or requested from LIBROPLANTA.

New Product User: admin | Logout

Title

Description

Main Modelic

License Key

Profile

Connection

Originator

ICN-LPIETP-A-000000-A-LIBRO-00084-E-001-01

Fig 13 New product

3.d Create new users ([Fig 14](#))



Libroplanta

Dashboard

New

Page

Content

Content Definition

Libroplanta

Storage

CSD8

IETP

Publisher

Navigation

Modules

Themes

Users

Reports

Settings

Users

User: admin | Logout

Users Roles

Actions: Choose action... Apply Filter: All Users Sort by: Name Filter Add a new user

| <input type="checkbox"/> | Name | Email | Actions |
|--------------------------|-------|-----------------------|-------------------------|
| <input type="checkbox"/> | admin | admin@libroplanta.com | Edit Delete Disable |
| <input type="checkbox"/> | user | user@gmail.com | Edit Delete Disable |

Showing items 1 - 2 of 2

1

ICN-LPIETP-A-000000-A-LIBRO-00087-E-001-01

Fig 14.1 Users (Sheet 01 of 02)

User Name

Email

Password

Confirm Password

First Name *

Last Name *

ICN-LPIETP-A-000000-A-LIBRO-00086-E-001-01

Fig 14.2 Users (Sheet 02 of 02)

- 3.e Assign users to the project (Fig 15)
Click *Users* on *Productstab*.



Fill in required fields and click *Submit* ().

Products User: admin | Logout

Products | Connections | Enterprises | Machine Key

| Title | Main Modelic | Connection | Originator | License Key | Actions |
|---------------|--------------|--------------|------------|------------------------|-------------------------------|
| Project title | S1000DBIKE | MYCONNECTION | My Company | MRZOV-AHIUA-ZNVK-FTLYT | Edit Delete Users Parts |

ICN-LPIETP-A-000000-A-LIBRO-00085-E-001-01

Fig 15.1 Users assigning (Sheet 01 of 03)

Project title — Users User: admin | Logout

| User | Enterprise | Role | Security Classification | Commercial Classifications | Caveats | Actions |
|-------|------------|-----------|-------------------------|----------------------------|---------|---------------|
| admin | My Company | Maintener | 01 | All | All | Edit Delete |

ICN-LPIETP-A-000000-A-LIBRO-00088-E-001-01

Fig 15.2 Users assigning (Sheet 02 of 03)

Project title — Add User User: admin | Logout

Security classification code:

Commercial classificartion codes:

Caveat codes:

Enterprise:

Role:

Name:

ICN-LPIETP-A-000000-A-LIBRO-00089-E-001-01

Fig 15.3 Users assigning (Sheet 03 of 03)



4 Datasets excluding

- 1 Select *Products* tab and click on *Datasets*.

Exclude datasets or include them back.

Note 3

Excluded dataset not visible for LIBROPLANTA IETP Viewerer users.

Project title — Excluded Parts User: admin | Logout

Products > Excluded Parts

Available Parts:

| Name |
|-----------------------------------|
| <input type="checkbox"/> DATASET1 |

Excluded Parts:

| Name |
|------|
|------|

[Delete](#)

ICN-LPIETP-A-000000-A-LIBRO-00090-E-001-01

Fig 16 Datasets excluding

